



index

| | |
|---|----|
| our Group | 04 |
| in figures | 06 |
| a complete range for every application | 08 |
| innovation and expertise | 10 |
| advice, tailor-made solutions and maximum reliability | 12 |
| our technology creates value | 14 |
| certified quality | 18 |
| fast, effective and comprehensive support | 20 |
| network | 22 |
| product range | 24 |

we connect
water
to people



water passion


our group



Water is not negotiable

Since 1959, Calpeda has been a leader in the design and manufacture of efficient, sustainable water pumping solutions, proudly made in Italy. Our strong commitment to technology and innovation ensures that every product we create is safe, reliable, and delivers high performance. Through our advanced systems and services, we provide vital water solutions to millions of people worldwide, every day.

In 2022, Calpeda became part of Waterialia, a holding company established by Ambiente, one of Europe's leading asset managers focused on environmental sustainability. Waterialia is dedicated to the effective and responsible management of water—our planet's most precious resource.



in figures

1959

year the company was founded

15 million

pumps produced

150

countries around the world
where we are present

5000

international partners
and distributors

subsidiaries

| | | | |
|------------------------------|--------------------------------------|----------------------------|-------------------------------|
| CALPEDA POMPES S.A. | CALPEDA PUMPS (IRELAND) LTD. | CALPEDA KOREA CO., LTD. | CALPEDA PUMPS INDIA PVT. LTD. |
| CALPEDA IBÉRICA S.A. | CALPEDA PUMPS SOUTHERN AFRICA | CALPEDA TAIWAN CO. LTD. | CAPRARI HELLAS S.A. |
| CALPEDA PUMPEN VERTRIEB GMBH | CALPEDA ASIA PACIFIC PTE LTD. | CALPEDA (MALAYSIA) SDN BHD | CAPRARI TUNISIE S.A. |
| CALPEDA LIMITED | CALPEDA CHINA BEIJING PUMP CO., LTD. | CALPEDA PUMPS PTY LTD. | CAPRARI PORTUGAL LDA |

16

production plants


| | |
|---------------------------|------------------------------|
| MONTORSO VICENTINO ITALIA | S.VITO AL TAGLIAMENTO ITALIA |
|---------------------------|------------------------------|

2

ESG goals we have



3



a complete range for every application

We offer an comprehensive range of pumps designed to serve a wide variety of sector, including domestic and residential, industrial, civil infrastructure, and irrigation. Our solutions are renowned for their exceptional efficiency, outstanding performance, and long service life.

With a proven track record in supporting OEM customers, we specialize in fast response times, extensive customization options, and bespoke products tailored to meet specific requirements. In addition, we pioneer advanced applications such as energy-efficient cooling systems for data centers, helping to significantly reduce energy consumption and contributing to a more sustainable future.



domestic and residential

- Pressure boosting
- Domestic irrigation
- Swimming pools
- Drainage
- Heating and air conditioning



industrial

- OEM plants and machinery
- Industrial process
- Heat transfer and circuits
- Waste water treatment



civil and plants

- Surface water lifting and distribution
- Civil pressure boosting
- Circulation and HVAC
- Drainage and sewer



irrigation

- Domestic irrigation
- Deep water withdrawal and irrigation
- Civil irrigation systems



innovation and expertise

At Calpeda, innovation drives the continuous evolution of our product range. By leveraging advanced technologies such as simulations, multi-dimensional analyses, and fluid-structure interaction studies, we ensure high-performance solutions with maximum reliability. Our extensive and specialized expertise enables us to provide flexible and effective solutions tailored to a wide range of needs.

Calpeda Flow: IOT

Digitalization and connectivity are integral to our product development process. The Calpeda Flow app enables seamless remote management and monitoring of pumps via any mobile device, offering our customers enhanced control, efficiency, and convenience.



**advanced
digital
control
tools**



advice, tailor-made solutions and high reliability

From pre-sales consultation to testing and after-sales service, Calpeda delivers the best possible solutions to meet our customers' needs. We carefully analyze all technical aspects to provide prompt and effective responses to specialized and niche applications, including pumping loaded liquids or addressing unique operational challenges.

The reliability of our products is guaranteed by our fully Made in Italy production, supported by rigorous testing and quality trials to ensure the highest standards of performance and durability.



maximum customisation

- prototyping and redesign services
- use of various materials, including cast iron, bronze, and steel
- supply of special motors and voltage options
- modification of impeller diameter according to specific requirements
- customisation of paint, labels and packaging

state-of-the-art testing facility

- over 1,000 square meters of dedicated testing space
- equipped with advanced measurement and data acquisition systems
- designed to ensure precision, reliability, and performance verification across all product ranges

end-of-line testing


- 100% of products are tested at various stages of the production process to ensure consistent performance, quality, and compliance with specifications

comprehensive assistance

- thousands of service centres worldwide
- spare parts always available

our technology creates value


Through a vertically integrated production strategy and advanced process automation, Calpeda efficiently delivers high volumes within short lead times. Our production facilities are equipped with state-of-the-art technology, including cutting-edge machinery, anthropomorphic robots, and flexible, high-efficiency assembly lines. This commitment to innovation ensures consistent quality and the highest standards across all our products.



attention to detail

An organisation structured to produce reliable and sustainable products





latest generation machining islands

- machining
- shafts and rotors
- windings and motors



certified quality

At Calpeda, our quality policy is focused on meeting and exceeding customer expectations. We adhere to the highest standards throughout our production processes, to ensure exceptional product performance and reliable service. Our commitment also extends to sustainable production practices. We fully comply with the RoHS directive and REACH regulation, including rigorous control of PFAS content, demonstrating our dedication to environmental responsibility and maintaining customer trust.

Product certifications



System certifications



fast, effective and comprehensive support

Calpeda offers a broad range of support services designed to meet customer needs efficiently and effectively. Our team of specialists are equipped to tackle any challenge, ensuring swift problem resolution. With a continuously stocked warehouse of standard products and spare parts kits, we guarantee quick deliveries and timely responses, ensuring maximum customer satisfaction at every stage.



quick deliveries
orders processed in 24 to 48 hours



product availability in stock
high rotation standard parts always in stock



service and spare parts
extensive global presence




training and support
structured programmes and specific training sessions

network

Calpeda operates a comprehensive global sales and service network. Through our extensive presence and strategic partnerships with distributors and specialized centers, we provide prompt and professional support wherever our customers are located.

We ensure the highest quality standards and fast access to products and spare parts, delivering reliable solutions on a global scale.



Calpeda Italia
Via Roggia di Mezzo 39,
36050 Montorso Vicentino (Vi) - Italy
Tel: +39 0444 476 476
info@calpeda.it

Calpeda Pompes S.A.
19, Rue de la Communauté,
44140 Le Bignon – France
Tel: +33 2 40031330
info@calpeda.fr

Calpeda Ibérica, S.A.
Pol. Ind. Ca n'Oller - C/Valencia 17-19 Nave 1
08130 Santa Perpetua de la Mogoda – Spain
Tel: +34 93 580 24 17
calpeda@calpedaiberica.com

Calpeda Pumpen Vertrieb GmbH
Philipp-Reis-Straße 2, 63755 Alzenau, Germany
Tel: +496023964330
info@calpeda.de

Calpeda Limited
6,8 Wedgwood Road Ind. Estate
Bicester Oxon OX26 4UL – Great Britain
Tel: +44 1869 241441
pumps@calpeda.co.uk

Calpeda Pumps (Ireland) Ltd.
Unit 5, Old Quarry Campus –
Kilshane Park Blanchardstown
Co. Dublin 15 – Ireland
Tel: +353 1 8612200
info@calpedaireland.com

Calpeda Pumps Southern Africa
Unit 3, Kingsley Close – Warbler Cl
7800 Cape Town – South Africa
Tel: +27 10 442 2200
pumps@calpeda.co.za

Calpeda Asia Pacific Pte Ltd
3, Gul Street 1
629316 – Singapore
Tel: +65 68984111
sales@calpeda-asiapac.com

Calpeda China Beijing Pump Co. Ltd.
No.15-12A South Jingsheng Four Street
Liandong U Valley Science Park
Tongzhou District 101102 – Beijing – China
Tel: +86 10 59770570/71/72
calpeda@calpeda.cn

Calpeda Korea Co, Ltd
508-B – 121, Digital-ro – Geumcheon-gu
08505 – Seoul - Republic of Korea
Tel: +82 31 4999550
calpedakr@calpedakorea.com

Calpeda Taiwan Co Ltd
No.367-1, Fongren Road – Renwu Township
81449 Kaohsiung County – Taiwan
Tel: +886 7 3723855
calpeda@calpeda.com.tw

Calpeda Malaysia Sdn Bhd
No 40, Jalan 5/KU6, Kaw Perindustrian Sg Puloh
42100 Klang Selangor – Malaysia
Tel: +60 3 3292 9022
enquiry@calpeda-asiapac.com

Calpeda Pumps Pty Ltd
3 Maritime Court
SA 5013 Gillman – Australia
Tel: +61 8 82688880
sales@calpeda.com.au

Calpeda Pumps India PVT Ltd
Sy nu.84/10 pallathal farm
RTO By pass Road, Yelahanka Bengaluru-560064
India
Tel: +91 9480809570....79
info_india@calpeda.it

Caprari Hellas SA
Industrial Area of Sindos
Municipality of Ehedorou
57022 Thessaloniki - Greece
Tel. +30 2310 797967
info@caprari.gr



Caprari Tunisia SA
Rue Annaba - Z. Ind.elle Ben Arous
2013 Ben Arous - Tunisia
Tel. +216 79 390001
tunisie@caprari.com

Caprari Portugal LDA
Rua Matadouro Regional Lt 46 Armaz B/C
Zona Industrial
2005-002 Santarém - Portugal
Tel. +351 243 350610
geral@caprariportugal.com

HQ - Montorso Vicentino
Via Roggia di Mezzo 39,
36050 Montorso Vicentino (Vi) - Italy
Tel: +39 0444 476 476
info@calpeda.it

S.Vito al Tagliamento Plant
Via Armenia, 6 Z.I.
33078 S.Vito al Tagliamento (PN) - Italy
Tel: +39 043485121
info@calpeda.it

product range

| | | | | | | | | | | | | | |
|---|---|--|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| MÈTA MÈTA S | E-MXP E-NGX | E-MPS | NM, NMD, NMX | NM, NM4 NMS, NMS4 | N, N4 | NR(4), NRD(4) NR EI, NRD EI | MXH MXH EI | MXP, MGP | MPSU | MXVB, MXV MXVB EI, MXV EI | MPC I-MPC | NMP | A |
| Horizontal multi-stage variable speed pumps | Boosting pressure system with built-in electronic pressure sensor | Multi-stage submersible pumps with built-in electronic pressure sensor | Close-coupled centrifugal pumps | Close-coupled centrifugal pumps EN 733 | End-suction centrifugal pumps EN 733 | In-line pumps | Horizontal multi-stage pumps | Horizontal multi-stage pumps | Multi-stage pumps with water cooled motor | Vertical multi-stage pumps | Self-priming swimming pool pumps with built-in strainer | Self-priming centrifugal pump with built-in strainer | Self-priming centrifugal pump with open impeller |

CHARACTERISTICS

| | | | | | | | | | | | | | | | |
|------------------------------|--------------------------------|-------------------|-------------|------------|--------------|--|----------------------------|--|--------------------------------|--------------|--------------|--|--------------------------------|--------------|--------------|
| Discharge diameter (nominal) | DN | G1 | G1 | G1¼ | G¾ ÷ G2½ | 32 ÷ 150 mm | 32 ÷ 200 mm | 32 ÷ 125 mm | G1 ÷ G2½ | G1 | G1¼ | G1 ÷ G2 25 ÷ 100 mm | G1½ ÷ G2 | G2 ÷ G3 | G¾÷G1¼ |
| Capacity | Q (m³/h) | 2 ÷ 16,8 | 0,3 ÷ 6,5 | 1 ÷ 8 | 1 ÷ 66 | 1 ÷ 660 | 6,6 ÷ 900 | 1 ÷ 140 | 1 ÷ 66 | 1 ÷ 7,2 | 1 ÷ 8 | 1 ÷ 115 | 2 ÷ 40 | 6,6 ÷ 120 | 0,06 ÷ 6 |
| Head | H (m) | 15 ÷ 50 | 7 ÷ 50,9 | 8 ÷ 60,5 | 3,5 ÷ 114 | 2,3 ÷ 95 | 0,5 ÷ 95 | 1 ÷ 84,6 | 5,4 ÷ 68 | 5 ÷ 58,5 | 9,5 ÷ 69,5 | 3,5 ÷ 246 | 4,2 ÷ 18 | 3 ÷ 26,2 | 3 ÷ 165 |
| Motor rating | kW | P1 0,6 ÷ 1,35(x2) | 0,45 ÷ 0,75 | 0,55 ÷ 1,1 | 0,37 ÷ 9,2 | 0,25 ÷ 90 | 0,25 ÷ 132 | 0,25 ÷ 22 | 0,25 ÷ 7,5 | 0,25 ÷ 1,1 | 0,55 ÷ 1,5 | 0,75 ÷ 45 | 0,37 ÷ 2,2 | 0,55 ÷ 7,5 | 0,33 ÷ 7,5 |
| | CV | | 0,6 ÷ 1 | 0,75 ÷ 1,5 | 0,5 ÷ 12,5 | 0,34 ÷ 120 | 0,34 ÷ 180 | 0,34 ÷ 30 | 0,34 ÷ 10 | 0,34 ÷ 1,5 | 0,75 ÷ 2 | 1 ÷ 60 | 0,5 ÷ 3 | 0,75 ÷ 10 | 0,45 ÷ 10 |
| Nominal speed of rotation | 1/min (50 Hz) 1/min (60 Hz) | variable speed | 2900 | 2900 | 2900 3450 | 1450 - 2900 1750 - 3450 variable speed | 1450 - 2900 1750 - 3450 | 1450 - 2900 1750 - 3450 variable speed | 2900 3450 variable speed | 2900 3450 | 2900 3450 | 1450 - 2900 1750 - 3450 variable speed | 2900 3450 variable speed | 2900 3450 | 2900 3450 |

APPLICATIONS

| | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Industrial and commercial | | | | • | • | • | • | • | • | | | • | | • | • |
| Domestic | • | • | • | • | • | • | | | • | • | • | • | • | • | |
| Agriculture and irrigation | • | • | • | • | • | • | • | | • | • | • | • | | | • |
| Swimming pools and spa baths | | | | | • | • | • | | • | | | | • | • | |
| Heating and air conditioning | | | | • | • | • | • | • | • | | | | | | |
| Groundwater | | | • | | | | | | | | | | | | |
| Wastewater and sewage | | | | | | | | | | | | | | | |
| Civil and residential | • | • | | • | • | • | • | • | • | | • | • | | | |

LIQUIDS

| | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Water | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Sea water or brackish water | | | | • | • | • | | | | | | | • | • | |
| Superheated water | | | | • | • | • | • | • | • | | | • | | | |
| Drainage water | | | | | | | | | | | | | | | • |
| Hydrocarbons and derivatives | | | | • | • | • | • | • | • | | | • | • | | • |
| Diathermic fluids | | | | • | • | • | • | • | • | | | • | | | |
| Glycol | | | | • | • | • | • | • | • | | | • | | | |

product range



| | | Centrifugal pumps with open impeller | Peripheral pumps | Self-priming liquid ring pumps | Self-priming jet pumps with built-in ejector | Self-priming jet pumps | | Horizontal multi-stage Self-priming pumps | Submersible drainage pump | Submersible sewage pumps | Multi-stage submersible clean water pumps | Submersible centrifugal pumps | Circulators and circulating pumps | Pressure boosting sets | Fire-fighting sets |
|--|--|--------------------------------------|------------------|--------------------------------|--|------------------------|--|---|---------------------------|--------------------------|---|-------------------------------|-----------------------------------|------------------------|--------------------|
|--|--|--------------------------------------|------------------|--------------------------------|--|------------------------|--|---|---------------------------|--------------------------|---|-------------------------------|-----------------------------------|------------------------|--------------------|

CHARACTERISTICS

| | | | | | | | | | | | | | | | |
|------------------------------|---------------|-------------|-------------|-------------|------------|-------------|--|------------|------------|-------------------------|-----------|--------------------------|------------------------|-------------------------|-------------|
| Discharge diameter (nominal) | DN | G½ ÷ G1 | G1 | G1 | G1 | G1 | | G1 | G1¼ ÷ G1½ | G1¼ ÷ G2 50 ÷ 350 mm | G1¼ | G1¼ ÷ G5 100 ÷ 220 mm | G1½ ÷ G2 40 ÷ 65 mm | G1 ÷ G2½ 80 ÷ 250 mm | 32 ÷ 250 mm |
| Capacity | Q (m³/h) | 0,12 ÷ 2,4 | 0,3 ÷ 8,4 | 0,25 ÷ 9,5 | 1 ÷ 8 | 0,25 ÷ 9,5 | | 1 ÷ 8 | 1,2 ÷ 30 | 1,2 ÷ 2800 | 1 ÷ 11 | 0,6 ÷ 900 | 0,5 ÷ 48 | 1,5 ÷ 570 | 15 ÷ 700 |
| Head | H (m) | 6,5 ÷ 53 | 17,5 ÷ 54,7 | 15,5 ÷ 74,5 | 14 ÷ 51 | 15,5 ÷ 74,5 | | 14 ÷ 51 | 1,5 ÷ 19,5 | 1 ÷ 75 | 7 ÷ 101,2 | 6,6 ÷ 850 | 0,2 ÷ 17 | 10 ÷ 95 | 20 ÷ 110 |
| Motor rating | kW | 0,15 ÷ 0,75 | 0,55 ÷ 1,5 | 0,55 ÷ 2,2 | 0,37 ÷ 1,1 | 0,55 ÷ 2,2 | | 0,37 ÷ 1,1 | 0,25 ÷ 1,5 | 0,25 ÷ 180 | 0,37 ÷ 3 | 0,37 ÷ 400 | 0,05 ÷ 1,8 | 0,45 ÷ 55x3 | 2,2 ÷ 110x2 |
| | CV | 0,2 ÷ 1 | 0,75 ÷ 2 | 0,75 ÷ 3 | 0,5 ÷ 1,5 | 0,75 ÷ 3 | | 0,5 ÷ 1,5 | 0,33 ÷ 2 | 0,33 ÷ 240 | 0,5 ÷ 4 | 0,5 ÷ 540 | 0,067 ÷ 1,75 | 0,6 ÷ 75x3 | 3 ÷ 150x2 |
| Nominal speed of rotation | 1/min (50 Hz) | 2900 | 2900 | 2900 | 2900 | 2900 | | 2900 | 2900 | 750 ÷ 2900 | 2900 | 2900 | 1450 | 2900 | 2900 |
| | 1/min (60 Hz) | 3450 | 3450 | 3450 | 3450 | 3450 | | 3450 | 3450 | 875 ÷ 3450 | 3450 | 3450 | 3000 variable speed | 3450 variable speed | 3450 |

APPLICATIONS

| | | | | | | | | | | | | | | | |
|------------------------------|--|---|---|---|---|---|--|---|---|---|---|---|---|---|---|
| Industrial and commercial | | • | • | • | | | | | | • | • | • | • | • | • |
| Domestic | | • | • | • | • | • | | • | • | • | • | • | • | • | |
| Agriculture and irrigation | | • | | | • | • | | • | | | • | • | | • | |
| Swimming pools and spa baths | | | | | • | | | | | | | | | | |
| Heating and air conditioning | | | | | | | | | | | | | • | | |
| Groundwater | | | | | | | | | | | • | • | | | |
| Wastewater and sewage | | | | | | | | | • | • | | | | | |
| Civil and residential | | | | | | • | | | | | | • | | • | • |

LIQUIDS

| | | | | | | | | | | | | | | | |
|------------------------------|--|---|---|---|---|---|--|---|---|---|---|---|---|---|---|
| Water | | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| Sea water or brackish water | | • | • | • | | • | | | | | | | | | |
| Superheated water | | • | • | • | | | | | | | | | • | | |
| Drainage water | | • | | | | | | | • | • | | | | | |
| Hydrocarbons and derivatives | | • | • | • | | | | | | | | | | | |
| Diathermic fluids | | • | • | • | | | | | | | | | | | |
| Glycol | | • | • | • | | | | | | | | | • | | |



Calpeda S.p.A.

Via Roggia di Mezzo, 39

36050 Montorso Vicentino - VI (Italy)

Tel. +39 0444 476476

email: info@calpeda.it

www.calpeda.com

